

ALLIANCE DOOR SYSTEMS | IN-STOCK EXTERIOR & INTERIOR





Kaua'i










Maui

Lāhainā: (808) 661-9020

Kīhei: (808) 879-7900

Makawao: (808) 572-7988



Hawai'i Island

Kona: (808) 334-4200 •

Hilo: (808) 935-0875

Waimea: (808) 885-6036 •

Retail Store, Lumberyard & Design Center

380 Kanoelehua Avenue Hilo, Hawai'i 96720

hilo@hpmhawaii.com

Kona

Retail Store, Lumberyard & Design Center

74-5511 Luhia Street Kailua-Kona, Hawai'i 96740 kona@hpmhawaii.com

Waimea

Retail Store, Lumberyard & Design Center

64-1027 Mamalahoa Highway Kamuela, Hawai'i 96743 waimea@hpmhawaii.com

Kapolei

Lumber, Building Materials & Roofing

Campbell Industrial Park 91-302 Hanua Street Kapolei, Hawai'i 96707 oahu@hpmhawaii.com

HPM Oʻahu Design Center

560 Nimitz Highway, Suite 104, 108, 109 Honolulu, Hawai'i 96817

oahu.hdc@hpmhawaii.com

Lāwa'i

Lumber, Building Materials & Roofing

3419 lwipo'o Road Kalaheo, Hawai'i 96741 kauai@hpmhawaii.com

Lāna'i City Retail Store & Lumberyard

1110 Lāna'i Avenue Lāna'i City, Hawai'i 96763 lanai@hpmhawaii.com

Lāhainā Retail Store & Lumberyard

24 Ulupono Street Lāhainā, Hawai'i 96761 maui@hpmhawaii.com

Kīhei Retail Store, Lumberyard & Design Center

369 Huku Lii Place Kīhei, Hawai'i 96753 maui@hpmhawaii.com

Makawao Retail Store & Lumberyard

1035 Makawao Avenue Makawao, Hawai'i 96768 maui@hpmhawaii.com

Please Note! Hawai'i Island lead time is 5 days, 2-week lead time for Oahu, 3 week leadtime for Maui and Kaua'i.

INDEX

ALLIANCE DOOR SYSTEMS

ALLIANCE DOOR SYSTEMS
Alliance Door Systems and components4
Door Construction5
HydroShield5
Nova 906-7
Decorative Glass Overview
Blanca8
Crosswalk8
Monterey9
Nouveau9
Topaz10
Vents10
Blink™ Enclosed Blinds11
FIBERGLASS DOORS
Panel Doors12
Craftsman Doors12
Full View Doors13
3/4 View Doors14
Half View Doors14
FIRE RATED DOORS
Fiberglass, Steel, Wood Stile & Rail and
Molded & Wood Veneer Doors15
WOOD STILE & RAIL DOORS
Exterior French Doors16
Passage and Bifold Doors16
LYNDEN DOOR
Molded Doors17
Wood Veneer Doors
HPM Door Handing19
Dimensions 10





As a local company with humble origins, HPM has a long history of innovation, perseverance and progressiveness. Yet one thing hasn't changed over the past century — the commitment to provide customers with the best building materials and services.

We are proud to offer our customers a comprehensive line of high-quality interior and exterior doors along with related door and millwork products supported by excellent customer service and value-added services including pre-hanging and machining.





ALLIANCE DOOR SYSTEMS

Our high quality doors and stunning glass designs offer you solutions for all your building needs.

Let the beauty and exceptional performance of the Alliance Door System inspire you.

INTERIOR DOOR FRAME SYSTEMS

Available in **Hemlock** and **Primed** in jamb widths of **4-9/16"**, **4-13/16"**, and **5-1/4"**.

EXTERIOR DOOR FRAME SYSTEMS

Our exterior door systems are available with **Bronze or White high-quality weatherstrip** and with **outswing sills in Mill or Bronze Aluminum.**

The **Endura Z-Articulating Cap Sill** offers superior performance and is standard inswing sill. *Never adjust a sill again*. The **Z-AC sill is available in Mill and Bronze**.

Choose from **Hemlock** and **Primed** jambs in widths of **4-9/16"**, **4-13/16"**, **5-1/4"**, and **7-1/4"**.

Astragals come in durable Fir and White Aluminum.



Z-AC never needs adjustment, automatically adjusting for a lasting seal against leaks. No maintenance required.

INTERIOR & EXTERIOR DOOR HARDWARE FINISHES

For the finishing touch, we offer high quality door hardware to complement caming and locking system colors.

Please note! Hinge colors shown are photographs and colors may vary from actual products.



US1D BLACK 4", 5/8" RADIUS



US15 SATIN NICKEL



US1D BLACK



US26D SATIN CHROME



US10B OIL RUB BRONZE



US32D STAINLESS STEEL



PATENTED HYDROSHIELD™ TECHNOLOGY

The HydroShield Technology by Plastpro protects our Fiberglass doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides.

It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew.





FIBERGLASS REINFORCED DOOR SKINS

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. The skins require little maintenance and will not splinter, dent, warp, rot or rust. They can be painted or stained.

FULL LENGTH COMPOSITE STILES

Our full-length composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door and stop the buildup of mold.

EXTENDED LOCKBLOCK

Plastpro's full length LVL lock stile allows any type of lock to be placed for increased security.

POLYURETHANE FOAM CORE


Our advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.



BACKED BY INDUSTRY LEADING WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.

For more information visit plastproinc.com/resources/warranty



FEATURES & BENEFITS

- Composite stile cap
- Full length LVL (hinge & strike side, for extra rigidity)
- 3 Low-E insulated 1" glass
- 4 Compression molded Fiberglass skin
- 5 Brush finished texture can be painted or stained
- 6 Integrally molded glass stop with shaker sticking
- High density polyurethane foam
- 8 ADA compliant bottom rail
- Omposite bottom rail



0

ENERGY EFFICIENCY

Energy efficiency translates into energy savings and comfortable living. Metallic, Low-E coatings on one or more surfaces of the glass will reduce heat flow and help lower heating bills in the winter and air conditioning costs in the summer.



LOW-E DOORGLASS

Proven energy saver. Increased energy efficiency equals increased savings for homeowners.

REDUCES SOLAR HEAT GAIN

In cold weather, Low-E glass stays warm on the inside minimizing cold spots and convection currents.

REDUCES CONDENSATION

Cold glass and warm, moist indoor air can cause damaging condensation. Low-E glass keeps glass warmer, reducing condensation.




Low-E glass protects fabrics, furniture and carpets from fading by blocking up to 61% of harmful ultra-violet rays.



LOW-E DOORGLASS - HOW DOES IT WORK?

Low-E coatings *reduce the amount of infra-red light* (causes heat build up) and ultra-violet light (causes color fading) passing through the window panes while allowing visible light to pass through with minimal resistance. This works from the exterior to the interior surfaces and the interior to the exterior surfaces; meaning it will *keep the heat out* of your home in the summer and inside your home in the winter.

Cool in the Summer and cozy in the Winter.






Nova 90 Low-E | Low-E Translucent

Door	3'0"
DRS1S-LE	
DRS1S-TRLE	•




2-Lite - 5" SDL Low-E | Low-E Translucent

Door	3'0"
DRS1S-LE-502	
DRS1S-TRLE-502	



3-Lite - 5" SDL Low-E | Low-E Translucent

Door	3'0"
DRS1S-LE-503	•
DRS1S-TRLE-503	



4-Lite - 5" SDL Low-E | Low-E Translucent

Door	3'0"
DRS1S-LE-504	
DRS1S-TRLE-504	



5-Lite - 5" SDL Low-E | Low-E Translucent

Door	3'0"
DRS1S-LE-505	
DRS1S-TRLE-505	



6-Lite - 5" SDL Low-E | Low-E Translucent

Door	3'0"
DRS1S-LE-506	
DRS1S-TRLE-506	•




BLANCA | Craftsman Style

Offering a high level of privacy and an understated backdrop, Blanca has a frosted, slightly stippled surface.

Crafted with Silkscreened Glass.

Blanca offers a high privacy level of 9.

Available in Craftsman, Full View, 3/4 View and Half View.




CROSSWALK | Contemporary & Craftsman Style


Modern design comes to life through strong linear lines interrupted by bold pops of gray glass. Crosswalk's look is abstract, modern, and stylish.

Crafted with *Micro-Iced Granite Glass, Gray Softwave Glass, Clear Softwave Glass* and *Platinum Nickel* Caming.

Crosswalk offers a high privacy level of 8.

Available in Craftsman, Full View, 3/4 View and Half View.






MONTEREY | Craftsman Style

Monterey offers Craftsman design elements and a bit of modern style to your home's entrance. Clear bevels provide visibility, yet the translucent, textured glass offers a high privacy level. Patina and satin nickel give you finish options to complement your door hardware.

Crafted with *Clear Bevels, Micro-Granite Glass, Granite Glass* and *Satin Nickel or Patina* Caming.

Monterey offers a high privacy level of 7.

Available in Craftsman View.



NOUVEAU | Traditional Style


Nouveau places a brilliant bevel cluster at its center and frames it with a classic translucent beveled glass design.

Crafted with *Clear Bevels, Glue Chip Glass* and *Platinum Nickel* Caming.

Nouveau offers a medium privacy level of 6.

Available in Full View, 3/4 View and Half View.





TOPAZ | Craftsman Style

If you appreciate attention to detail, you'll like Topaz's subtle pops of color, focal bevel cluster, and patina finish. These "jewels" combine to create a Craftsmanstyle doorglass that adds beauty to your home's entryway

Crafted with *Bronze Seedy Glass, Thin Reed Glass, Clear Bevels, Micro-Granite Glass* and *Patina* Caming.

Topaz offers a high privacy level of 9.

Available in Craftsman, Full View, 3/4 View and Half View.





VENTS

Use our vented designs for a boost of fresh air in workshops, garages or your home. They feature a sliding bottom sash with a 10 station locking system which allows you to control the airflow. The external screen keeps insects out and is removable for easy cleaning.

- 10 station locking system
- Removable screen for easy cleaning
- 20-Year Warranty
- Available in White







BLINK® ENCLOSED BLINDS

Whether you're looking to enjoy the outdoors or need to turn off the outside world, the perfect levels of light and privacy are yours to control.

Our superior **Easy Glide System** allows our blinds to tilt completely closed, keeping you safe from prying eyes and unwanted light. The full privacy channels eliminate light gaps, shadows, and sunlight glare.

- No dusting
- No dangling cords or swinging blinds
- Available in White
- Raise, Lower & Tilt





DRS2B



DRS29









1-Panel Sh	aker		
Door	2'8"	3'0"	
DRS1K			



2-Panel Sh	aker	
Door	2'8"	3'0"
DRS2K		



3-Panel Smooth	
Door	3'0"
DDC2E	



Door	3'0"
S866-3P-LE	



Blanca Low-E Craftsman 3-Panel Smooth

Door	3'0"
S866-3P-BLE	



Crosswalk Craftsman 3-Panel Smooth

Door	3'0"
S866-3P-CWK-PN	



Monterey Craftsman 3-Panel Smooth

Door	3'0"
S866-3P-MO-P	



Topaz Craftsman 3-Panel Smooth

Door	3'0"
S866-3P-TPZ-P	



Clear Full View

Door	2'8"	3'0"
S686-FL-CL		



Clear/Low-E Full View 10-Lite (Fixed Grilles)

Door	2'8"	3'0"
S628-FL-FG10-CL		



Blinds Clear/Low-E Full View

Door	2'8"	3'0"
S686-FL-RLB-CL		



Door	2'8"	3'0"
S686-FL-BLC		



Rain Full View

Door	2'8"	3'0"
S686-FL-RN		




Crosswalk Full View

Door	2'8"	3'0"
S686-FL-CWK-PN		



Nouveau Full View

Door	2'8"	3'0"
S686-FL-MN-PN		•



Topaz Full View

Door	2'8"	2'10"	3'0"	3'6"
S686-FL-TP7-P				









Rain 3/4 View 1-Panel Door 3'0" S607-1P-RN



Crosswalk 3/4 View 1-Panel Door 3'0" S607-1P-CWK-PN



Nouveau 3/4 View 1-Panel Door 3'0" S607-1P-MN-PN



Clear Half View 2-Panel

Door	2'8"	3'0"
S684-2PU-CL		٠



9-Lite Clear Fixed Grille Half View 2-Panel

ĺ	Door	2'8"	3'0"
	S681-2PU-FG9-CL		



Blinds Clear/Low-E Half View 2-Panel

Door	2'8"	3'0"
S684-2PU-RLB-CL		•



Vented Clear/Low-E Half View 2-Panel

Do	oor	2'8"	3'0"
S7	99-2PU-VL-CL		



Blanca Half View 2-Panel

Door	2'8"	3'0"
S684-2PU-BLC		



Rain Half View 2-Panel

Door	2'8"	3'0"
S684-2PU-RN		



Crosswalk Half View 2-Panel

Do	or	2'8"	3'0"
S68	34-2PU-CWK-PN		
S68	34-T2P-CWK-PN		



Topaz Half View 2-Panel

Door	2'8"	3'0"
S684-2PU-TPZ-P		



Half Round 5-Lite (Fixed Grille)

Door	3'0"
S660-4P-FG5-CL	•

20-MINUTE FIRE RATED

Fire doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Doors are machined.



Flush Fiberglass 20-Minute

Door	2'8"	3'0"
DRS00-20M		



6-Panel Fiberglass 20-Minute

Door	2'8"	3'0"
DRS61-20M		



Flush Steel 20-Minute

Door	2'8"	3'0"
CT-100-20	•	•



6-Panel Ovolo Steel 20-Minute

Door	2'8"	3'0"
CT-60-20	•	



89320 Shaker Primed 20-Minute

Door	2'8"	3'0"
89320-20M		



89382 Shaker Primed 20-Minute

Door	2'8"	3'0"
89382-20M		



89330 Shaker Primed 20-Minute

Door	2'8"	3'0"
89330-20M		



89360 Shaker Primed 20-Minute

Door	2'8"	3'0"
89360-20M		



89355 Shaker Primed 20-Minute

Door	2'8"	3'0"
89355-20M		



Kingston Molded 20-Minute

Door	2'8"	3'0"
Kingston		




Lauan Mahogany Wood Veneer 20-Minute

Door	2'8"	3'0"
Lauan Mahogany		



Natural Birch Wood Veneer

Door	2'8"	3'0"
Natural Birch		





EXTERIOR FRENCH DOORS

French doors have remained popular among homeowners due to their ability to seamlessly link interior spaces with outdoor surroundings, encouraging the flow of light.



WOOD STILE & RAIL INTERIOR DOORS

Our interior panel and bifold doors are crafted with the same meticulous attention and skill that defines every one of our wood stile and rail doors. These doors will help you create the perfect ambiance in your home.

Our interior panel and bifold doors have a standard thickness of 1-3/8".

■ Matching bifolds



Pine Louver 1'6", 2'0", 2'4", 2'6", 2'8", 3'0"



8720 Shaker 1'6", 2'0", 2'4", 2'6", 2'8", 3'0"



8782 Shaker 1'6", 2'0", 2'4", 2'6", 2'8", 3'0"



8730 Shaker 1'6", 2'0", 2'4", 2'6", 2'8", 3'0"



2'6", 2'8", 3'0" x 6'8"

8760 Shaker 1'6", 2'0", 2'4", 2'6", 2'8", 3'0"



1'6", 2'0", 2'4", 2'6", 2'8", 3'0"



Pine Louver Bifold 2'0", 2'6", 3'0"



8701 Shaker Bifold 2'0", 2'6", 3'0"



8702 Shaker Bifold 2'0", 2'6", 3'0"



8703 Shaker Bifold 2'0", 2'6", 3'0"



8700 Shaker Bifold 2'0", 2'6", 3'0"



8705 Shaker Bifold 2'0", 2'6", 3'0"





MOLDED INTERIOR DOORS

Lynden Door molded doors feature a primed, furniture grade surface, that is ready to paint in any color you desire. There is no limit to your design ideas.

- Matching bifolds
- Hollow core



Kingston Smooth Raised Panel



Kingston Bifold Smooth Raised Panel



Benton Bifold Smooth Raised Panel



Benton Bifold Smooth Raised Panel



Bonneville Textured Raised Panel



Bonneville Textured Raised Panel

WOOD VENEER DOORS

Do you need a rustic barn door or contemporary passage door? Wood veneer doors provide the beauty and warmth of natural wood and one of a kind, unique wood grain patterns. Stainable and paintable – you can't go wrong. Available up to 3'0" x 6'8".


■ Hollow core




Lauan Mahogany 2'0", 2'4", 2'6", 2'8", 3'0"



Natural Birch 2'0", 2'4", 2'6", 2'8", 3'0"










HPM HANDING INFORMATION

BEFORE YOU BEGIN! Determine the INSIDE and OUTSIDE of your installation!


Single Door

Confirm swing and handing, keep the inside and outside of your application in mind!



Double Doors

Identify active door panel, swing and handing, keep the inside and outside of your application in mind!



INTERIOR PREHUNG DIMENSION CHART

Type of Opening	Net Frame Dimension							Rougl	n Openin	g Dimen	sion	
Nominal Door Width	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Single	25-1/2"	29-1/2"	31-1/2"	33-1/2"	35-1/2"	37-1/2"	26"	30"	32"	34"	36"	38"
Double w / Ball Catches	49-1/2"	57-1/2"	61-1/2"	65-1/2"	69-1/2"	73-1/2"	50"	58"	62"	66"	70"	74"
Double w / Astragal	50"	58"	62"	66"	70"	74"	50-1/2"	58-1/2"	62-1/2"	66-1/2"	70-1/2"	74-1/2"
Std 6'8" Height		81-5/8"							82-1	/8"		
Std 7'0" Height		85-5/8"					86-1/8"					
Std 8'0" Height			97-5	5/8"					98-1	1/8"		

EXTERIOR PREHUNG DIMENSION CHART

Type of Opening	Net Frame Dimension							Rougl	n Openin	g Dimen	sion	
Nominal Door Width	2'0"	2'6"	2'8"	2'10"	3'0"	3'6"	2'0"	2'6"	2'8"	2'10"	3'0"	3'6"
No Sidelight (Single)	25-1/2"	31-1/2"	33-1/2"	35-1/2"	37-1/2"	43-1/2"	26"	32"	34"	36"	38"	44"
No Sidelight (Double)	50-1/4"	62-1/4"	66-1/4"	70-1/4"	74-1/4"	86-1/4"	50-3/4"	62-3/4"	66-3/4"	70-3/4"	74-3/4"	86-3/4"
Std 6'8" Height		81-3/4" (lı	Outswing			82-1/4"	(Inswing) / 81" Ou	itswing			
Std 7'0" Height		85-3/4" (Inswing) / 84-1/2" Outswing						86-1/4"	(Inswing) / 85" Ou	ıtswing	
Std 8'0" Height		97-3/4" (Inswing) / 96-1/2" Outswing						98-1/4"	(Inswing) / 97" Οι	ıtswing	









ALLIANCE DOOR PRODUCTS

4095 142nd Avenue East, Suite 100 Sumner, WA 98390

info.seattle@alliancedoorproducts.com

253.867.5080